Symposium in honor of Owen Chamberlain's 75th Birthday

Phase-Space

July 8, 1995,
Pimentel Hall,
University of California at Berkeley
Berkeley, California

Cooling of


Swapan Chattopadhyay

CENTER FOR BEAM PHYSICS

Lawrence Berkeley National Laboratory


Antiprotons

The Beam Cooling Scheme





CERN p-p Collider as it looked in 1982






An important discovery is marked by the number of significant avenues of human pursuit opened up by it leading to further inventions and discoveries and so on!

Thank you, Owen!!



Cooling Rate



For optimized gain, G:

$$\frac{1}{N} = \frac{W}{N} = \frac{1}{(1+1)^n}$$

Discoverty f




Antiprotons

- Confirms the 'reality' of Antimatter
- Possibility of producing Anti-Hydrogen in the laboratory
- Possibility of packing antiprotons into directed beams by phase-space cooling
- Possibility of proton-antiproton colliding beam physics
 - pp̄ → Discovery of the Intermediate Vector Bosons, Z⁰, W[±] (CERN), 1983
 - Establishing the existence of the Top Quark, (FNAL), 1995
 - → Low mass Higgs in TeV * ??
- Where has all the Antimatter gone? CP Violation and Asymmetric B-Factories




Fermilab Accelerator as it looks in 1995: TeV*





Fermilab p-p Collider as it looked in 1982




Confirmed W[±], Z⁰ in 1984 and discovery of Top Quark, 1995




Hamiltonian Mapping Generating Incompressible Liouvillian Flow in Phase-Space

$$\frac{d}{dt} m(s_t) = 0$$






Interaction through the Pick-Up-Amplifier-Kicker Feedback Loop






Phase-Space Cooling in Any One Dimension






The Two Fundamental processes in Stochastic Cooling
(a) Incoherent Scattering of Two Different Particles and
(b) the Self-Interaction Force





Typical Stochastic Cooling Feedback Loop in a Storage Ring

(proposed by S. van der Meer, 1968)



BERKELEY LAB

Whycoo I?

Average transverse temperature of antiprotons produced by proton beams:

$$(kT)_{Target} = \frac{(p)^2}{2m_p}$$
 $5x10^6 \text{ eV}$

where $\langle p \rangle \sim 300 \text{ MeV/c}$

Typical transverse temperature accepted by a high energy storage ring's dynamically available phase-space:

$$(kT)_{Ring} \sim 1 2x10^4 \text{ eV}$$

Need Phase-Space Cooling by many orders of magnitude